

## DS-1H18S/E(C) HD Video Balun



### Features and Functions


- 1 channel passive video UTP balun
- Pat press type terminal on top, clasp aside.
- Support device camera/DVR with POC
- Real-time transmit video signal, and high quality and stable video
- Compatible with HDCVI/TVI/AHD/CVBS
- Transmission distance: non-POC Camera Max. 250m; POC Camera Max. 150m.
- Superior anti-interference



## Specifications

Model		DS-1H18S/E(C)
Properties	Transmission Signal	1 channel
	Transmission Distance	Non-POC Camera: Max 250m POC Camera: Max 150m
	Category Type	UTP CAT5/ 5E/ 6 (R<10Ω/100 M)
Video Transmission Properties and Port	Coaxial Video Connector	BNC-M
	Twisted-pair Video Connector	Pat Push Interface
	Compatible Format	HDCVI/TVI/AHD/CVBS
	Resolution	720P/1080P/4MP/5MP/8MP
	Ant-interference	>60db
Protection	ESD	contact discharge electricity level3
		air discharge electricity level3
		Per: IEC61000-4-2
	Coaxial Cable Connector	2KV(common-code) Per:IEC61000-4-5
UTP Cable Connector	2KV(different-code), 2KV(common-code) Per:IEC61000-4-5	
Impedance	BNC Male	75 ohms
	UTP Cable	100 ohms
Physical Properties	Shell	ABS
	Color	Black
	Dimensions ( L x W x H )	150mm x 20mmx 22mm ( balun with cable ) 50mm x 20mmx 22mm ( balun without cable )
	Weight	32 g
Stability	MTBF	>10000 h
Environmental	Operating Temperature	-10-55°C
	Storage Temperature	-20-70°C
	Humidity	0-95% (non-condensing)

## Typical Application



## Available Model

Distributed by

**DS-1H18S/E(C)**

## HIKVISION®

### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Africa**  
T +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision Europe**  
T +31-23-55-42-770  
info.eu@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision Korea**  
T +82-31-731-8841  
sales.korea@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision UK**  
T +01628-902140  
support.uk@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com