

## DS-D5050UC



- Designed for surveillance, high reliability and stability
- 50" LED backlight with wide display equipment
- 4K resolution is 4 times the resolution of 1080p, providing a wider view and more fine detail
- Multiple inputs: HDMI, VGA, RJ45, USB
- Narrow front bezel
- Wide view angle: Horizontal 178°, Vertical 178°
- 24/7 operation.



## ▪ Specification

Display	
Screen Size	49.5 inch
Active Display Area	1095.84 mm (H) × 616.41 mm (V)
Resolution	3840 × 2160@60 Hz
Backlight	LED
Pixel Pitch	0.2853 mm (H) × 0.2853 mm (V)
Brightness	300 cd/m <sup>2</sup> (typ.)
Viewing Angle	178° (H) / 178° (V)
Color Depth	10.07B(8bit + FRC)
Contrast Ratio	4000:1
Response Time	8 ms
Interface	
Video & Audio Input	HDMI × 2, CVBS IN (Audio-L/Audio-R RCA) × 1
Video & Audio Output	AUDIO OUT × 1, SPDIF × 1
Data Transmission Interface	USB 2.0 × 1, USB 3.0 × 1
Network Interface	LAN × 1
Loudspeaker	8 W × 2
Power	
Power Supply	100 to 240 VAC, 50/60 Hz
Power Consumption	≤ 117 W
Standby Consumption	≤ 0.5 W
Working Environment	
Working Temperature	0 °C to 40 °C (32 °F to 104 °F)
Working Humidity	10% to 90% RH (Non-Condensing)
Storage Temperature	-20 °C to 60 °C (-4 °F to 140 °F)
Storage Humidity	5% to 90% RH (Non-Condensing)
General	
Color	Black
VESA	400 mm × 200 mm (4×M6)
Product Dimensions (W × H × D)	1123.6 mm × 649.3 mm × 77 mm (44.24" × 25.56" × 3.03")
Remarks	If the appearance and parameters in this specification vary from the actual product, the later prevails. You can also consult local sale staff.
Net Weight	12 kg (26.46 lb)
Package Dimensions (W × H × D)	1280 mm × 845 mm × 203 mm (50.39" × 33.27" × 7.99")
Mounting Type	Wall mounting
Packing List	Power cable × 1, HDMI cable × 1, remote control × 1, user manual × 1
Gross Weight	12.35 kg (27.23 lb)

## ▪ Available Model

DS-D5050UC(海外标配),DS-D5050UC(海外标配)/ZAO,DS-D5050UC(海外标配)/India,



Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com