


## DS-2CS58C2T-S/F 700TVL IR Mobile Turret Camera



### Key Features

- 0.1Lux @(F1.2,AGC ON)
- 720TVL high definition
- Adopt wide-angle lens with wider monitoring coverage
- Support electronic shutter and AGC
- Patented universal regulating mechanism, easy to adjust
- Anti-vibration design and aviation port for mobile environments
- Suitable for mobile environments
- Up to IP4X protection level





## Specifications

<b>Camera</b>	
Image Sensor	1.0 Mega Progressive Scan CMOS
Signal System	25fps/30fps
Resolution	1296(H)×732(V)
Min. Illumination	0.1Lux @ (F1.2,AGC ON)
Shutter Time	1/25s to 1/50,000s
Lens	2.1mm
Lens Mount	M12
Day & Night	Electronic
Angle Adjustment	Pan: 0°; Tilt:0°; Rotation: 0°, Bracket Angle Adjustment Range: 0° to 180°
Frame Rate	25fps/30fps
Horizontal Definition	720TVL
Synchronization	Internal Synchronization
Video Output	Aviation Port
S/N Ratio	>62dB
<b>Interfaces</b>	
Video Out	1Vpp Composite Output
Audio In	Built-in Microphone
Audio Out	1-ch, Aviation Port (Output Impedance: 1KΩ±10%)
Aviation Plug Port	1: HD Video; 2: Audio; 3: Power; 4: GND
<b>General</b>	
Working Temperature/Humidity	-30°C to 65°C (-22°F to 149°F), Humidity 90% or less (non-condensing)
Power Supply	6VDC to 16VDC ± 15%
Power Consumption	MAX. 1W
Protection Level	IP4X
Dimension	75.8mm×59.9mm×54.5mm (2.98"×2.36"×2.15")
Weight	Approx. 400g (0.88lb)

## Order Models

DS-2CS58C2T-S/F

## Dimensions



Unit:mm

Distributed by



### Headquarters

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
saleseuro@hikvision.com

**Hikvision Middle East**  
T +971-4-8816086  
salesme@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-444  
info.fr@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
poland@hikvision.com

**Hikvision UK**  
T +44-1628-9021-4  
support.uk@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Oceania**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision Hong Kong**  
T +852-2151-1761

**Hikvision Canada**  
T +1-909-895-0400  
sales.usa@hikvision.com