

MVL-AF4028M-M42
APS-C 40mm Focal Length FA LENS


The APS-C fixed-focus lens are optimized for the application of large pixel line scan cameras in the machine vision industry, with excellent imaging quality, high image uniformity and low distortion design, magnification range from 0.04x to 0.22x. It is suitable for defect detection applications in PCB, packaging and printing industry.



Key Features

- Ultra-high resolution and consistency of image clarity
- Large aperture, low distortion, low chromatic aberration and high relative illumination
- Maximum image circle $\Phi 37\text{mm}$, applicable to APS-C area scan and 4K line scan cameras

Dimension



Specification

| Parameter | Model | MVL-AF4028M-M42 |
|------------------------|-------|---|
| | | Fixed focal length, Manual iris, APS-C lens |
| Performance | | |
| Focal Length | | 40 mm |
| F-Number | | F2.8 ~ F22 |
| Image Size | | Φ37 mm |
| Optical Distortion | | 0.62% |
| Magnification Range | | 0.22x ~ 0.04x |
| Working Distance Range | | 200 ~ 1051 mm |
| Mechanical | | |
| Iris Control | | Manual |
| Focus Control | | Manual |
| Filter Thread | | M37 × 0.75 |
| Mount | | M42 × P1 |
| Flange Back Length | | 12 mm |
| Dimension | | Φ47.6 × 62.7 mm |
| Weight | | 171 g |
| Temperature | | -10 ~ 50°C |
| General | | |
| Certification | | RoHS2.0 |

HIKROBOT

Hangzhou Hikrobot Co. Ltd.
en.hikrobotics.com

© Hangzhou Hikrobot Co., Ltd. All Rights Reserved.

Hangzhou Hikrobot does not tolerate any infringement. Any organization or individual may not imitate or reproduce in whole or in part of the content. The data herein is based on Hikrobot's internal evaluation. Actual data may vary depending on specific configuration and operating condition. The information herein is subject to change without notice. All the content has been checked conscientiously. Nevertheless, Hikrobot shall not be liable to damages resulting from errors, inconsistencies or omissions.