



IEEE 802.3at 12V PoE Splitter for IP Camera

Model: NOS-11E-12D

Main Features:

- ✧ Plug-and-play installation with no configuration required;
- ✧ Support IEEE 802.3af(15.4W) and 802.3at(30w) PoE standards.

I/O Interfaces

Power Output	1x 5.5*2.1 mm DC plug (max. 12 VDC, 2A)
Ethernet Ports	1x 10/100 Mbps RJ45 PoE Input Port 1x 10/100 Mbps RJ45 Output Port

Standards

Network Standards	IEEE 802.3i (10BASE-T Ethernet)
	IEEE 802.3u (100BASE-TX Fast Ethernet)
	IEEE 802.3x (Flow Control)
PoE Standards	IEEE 802.3af (15.4 watts)
	IEEE 802.3at (30 watts)
Network Media	10BASE-T: UTP category 3, 4, 5 cable (max. 100 m)
	100BASE-TX: UTP category 5 or above cable (max. 100 m)

Environment

Operating Temperature	-10°C to 50°C
Operating Humidity	RH 10% to 90% (non-condensing)
Storage Temperature	-40°C to 85°C
Storage Humidity	RH 5% to 95% (non-condensing)

General

Power Supply	max. 12 VDC, 2 A
Shell Material	PC
Dimension	83x29x24 mm (LxWxH) pigtail length 120 mm
Net Weight	45 g



nestron

Gross Weight

50 g
